TITLE: APPARATUS AND METHOD FOR BRIGHTNESS CONTROL INVENTORS: Yung-jun PARK, et al.

SERIAL NO .: **DOCKET NO.: 1349.1179** 

FIG. 1 (PRIOR ART)




FIG. 2A (PRIOR ART)







FIG. 2B (PRIOR ART)



TITLE: APPARATUS AND METHOD FOR BRIGHTNESS CONTROL INVENTORS: Yung-jun PARK, et al.

SERIAL NO.: DOCKET NO.: 1349.1179








FIG. 3B (PRIOR ART)

TOTAL NUMBER OF PIXELS





FIG. 3C (PRIOR ART)






INPUT BRIGHTNESS

TITLE: APPARATUS AND METHOD FOR **BRIGHTNESS CONTROL** INVENTORS: Yung-jun PARK, et al.

SERIAL NO.: DOCKET NO.: 1349.1179






FIG. 4B (PRIOR ART)








FIG. 4C (PRIOR ART)



TITLE: APPARATUS AND METHOD FOR BRIGHTNESS CONTROL INVENTORS: Yung-jun PARK, et al.

SERIAL NO.: DOCKET NO.: 1349.1179



TITLE: APPARATUS AND METHOD FOR BRIGHTNESS CONTROL INVENTORS: Yung-jun PARK, et al. SERIAL NO.: DOCKET NO.: 1349.1179

FIG. 6A




FIG. 6B





FIG. 6C



TITLE: APPARATUS AND METHOD FOR BRIGHTNESS CONTROL INVENTORS: Yung-jun PARK, et al. SERIAL NO.:

**DOCKET NO.: 1349.1179** 

FIG. 6D




FIG. 6E





FIG. 6F



TITLE: APPARATUS AND METHOD FOR BRIGHTNESS CONTROL INVENTORS: Yung-jun PARK, et al.

SERIAL NO.:

DOCKET NO.: 1349.1179

FIG. 7

